## ThinkCentre M720 Tower 10S0005AGE

#### Product

ThinkCentre M720t Tower

Region WE

Country/Region Germany

Machine Type 10SQ

TopSeller TopSeller

Processor Intel Core i5-9400 (6C / 6T, 2.9 / 4.1GHz, 9MB)

Chipset Intel B360 Chipset

Graphics Integrated Intel UHD Graphics 630

Memory 1x 8GB DDR4-2666

Storage 1x 256GB SSD M.2 2280 PCIe x4 NVMe Opal

**Optane Memory** None

**Optional Bay** None

Front Access HDD None

Optical **DVD±RW** 

Media Reader 7-in-1

Speaker 2Wx1

Ethernet Integrated 100/1000M

WLAN + Bluetooth None

**Optional Rear Ports** None

**Chassis Intrusion Switch** Chassis Intrusion Switch

Chassis E-Lock None

Kensington Cable Lock None

Smart Cable Clip None

Dust Filter None

#### Carry Handle

None Color Black

Stand None

Keyboard USB Traditional Keyboard, German

Mouse USB Calliope Mouse

Power Supply 180W 85%

TUV Low Noise **TUV Low Noise** 

Monitor Cable None

System Management None

Operating System Windows 10 Pro 64. German

**Bundled Software** None

Base Warrantv 3-vear. Onsite

**Bundled Service** None

EAN / UPC 0193638223474

End of Support 2025-07-18

Announce Date 2019-06-18

Recommended Services

Best 4Y Premier Support Upgrade from 3Y Onsite (5WS0T36207)

Better 3Y Premier Support Upgrade from 3Y Onsite (5WS0U26647)

Good 5Y Onsite upgrade from 3Y Onsite (5WS0D81042)

## WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.

### https://psref.lenovo.com

# PSREF

Visit psref website for the latest version of Product Specifcations Reference. © Lenovo, 2020. All rights reserved.



## ThinkCentre M720 Tower Platform Specifications

Product Specifications Reference (PSREF)

			-					
Processor	Intel <sup>®</sup> Celeron <sup>®</sup> , Intel	Pentium <sup>®</sup> , or 8th / 9th Gen Intel Core™ i3 / i5 / i7 / i9 Processor				1	WLAN <sup>13</sup>	Some: 11ac wireless, M.2 Card, Realtek RTL8821CE (dual band),
	Processor	Cores /	Frequency	Cache	Memory Support		1	Wi-Fi + Bluetooth 4.2 combo adapter, 1x1 Some: 11ac wireless, M.2 Card, Realtek RTL8822BE (dual band),
	Celeron G4900	2/2	Base/Max(GHz) 3.1G	2 MB	(Up to) DDR4-2400	Graphics UHD 610	1	Wi-Fi + Bluetooth 4.2 combo adapter, 2x2
	Celeron G4900 Celeron G4920	2/2	3.1G 3.2G	2 MB 2 MB	DDR4-2400 DDR4-2400	UHD 610	1	Some: 11ac wireless, M.2 Card, Intel Dual Band Wireless-AC 3165,
	Pentium Gold G5400	2/2	3.7G	4 MB	DDR4-2400	UHD 610	1	Wi-Fi + Bluetooth 4.2 combo adapter, 1x1 Some: 11ac wireless, M.2 Card, Intel Dual Band Wireless-AC 8265,
	Pentium Gold G5500	2/4	3.8G	4 MB	DDR4-2400	UHD 630	1	Wi-Fi + Bluetooth 4.2 combo adapter, 2x2
	Pentium Gold G5600	2/4	3.9G	4 MB	DDR4-2400		Bluetooth™	Some: Bluetooth 4.2 wireless, integrated in Wi-Fi + BT combo adapter
	Core i3-8100	4/4	3.6G	6 MB	DDR4-2400	UHD 630	Ethernet	Gigabit ethernet, Intel Ethernet Connection I219-V (Jacksonville), Wake on LAN®
	Core i3-8300	4/4	3.7G	8 MB	DDR4-2400	UHD 630	Ethernet (Opt.)	Some: Intel Ethernet Server Adapter I350-T4*, gigabit ethernet, 4x RJ-45, PCIe x4
	Core i5-8400	6/6	2.8G / 4.0G	9 MB	DDR4-2666	UHD 630		Some: Bitland BN8E88*, gigabit ethernet, 1x RJ-45, PCIe x1 (special bid only)
	Core i5-8500	6/6	3.0G / 4.1G	9 MB	DDR4-2666	UHD 630		* Choose either I350-T4 or BN8E88
	Core i5-8600	6/6	3.1G / 4.3G	9 MB	DDR4-2666	UHD 630	Manageability	None Discrete TPM 2.0. TCG Certified
	Core i7-8700	6/12	3.2G / 4.6G	12 MB	DDR4-2666	UHD 630	Securitý features	Security slot (in rear for optional     Power-on password
	Core i3-9100	4/4	3.6G / 4.2G	6 MB	DDR4-2400	UHD 630		Kensington® MicroSaver® cable) • Administrator password
	Core i3-9300	4/4	3.7G / 4.3G	8 MB	DDR4-2400	UHD 630		Padlock loop <ul> <li>Hard disk password</li> </ul> <li>Optional cable lock to physically lock</li> <li>Boot sequence control</li>
	Core i3-9320	4/4	3.7G / 4.4G	8 MB	DDR4-2400	UHD 630		
	Core i5-9400 Core i5-9500	6/6	2.9G / 4.1G 3.0G / 4.4G	9 MB 9 MB	DDR4-2666 DDR4-2666	UHD 630 UHD 630		both keyboard and mouse     Optional chassis intrusion switch     Boot without keyboard and mouse     Individual USB port disablement
	Core i5-9600	6/6 6/6	3.1G / 4.6G	9 MB	DDR4-2666	UHD 630		Optional chassis E-Lock (special bid)      Smart USB protection, allows keyboard/
	Core i7-9700	8/8	3.0G / 4.7G	12 MB	DDR4-2666	UHD 630	1	mouse only, blocks all storage devices
	Core i9-9900	8/16	3.1G / 5.0G	16 MB	DDR4-2666	UHD 630	Keyboard	Some: Lenovo Calliope Keyboard (USB connector), black
A #					•		-	Some: Lenovo Traditional Keyboard (USB connector), black
Memory	64GB max, UDIMM, DDR4-2666*, four 288-pin DIMM sockets, non-ECC, dual-channel capable							Some: Lenovo Calliope Wireless Keyboard (2.4GHz via USB receiver), black
	* System automatically clocks down for the processors with lower memory controller					ry controller	r Mouse	Some: Lenovo Keyboard (PS/2 connector), black (only available via special bid) Some: Lenovo Calliope Mouse (USB connector), black
Storage	Some: Hard Drive / SATA 6.0Gb/s, 2.5" or 3.5", 5400 rpm or 7200 rpm					<u> </u>	1	Some: Lenovo Fingerprint Mouse (USB connector), Windows Hello support, black
	Some: Solid State D	rive (SSE	D) / SATA 6.0Gb/s	s, 2.5"				Some: Lenovo Calliope Wireless Mouse (2.4GHz via USB receiver), black
	Some: M.2 SSD (22							Some: Lenovo Mouse (PS/2 connector), black (only available via special bid)
Optical	Some: Intel Optane™ Some: DVD-ROM S				entium Processo	лr), М.2	Mechanical	• Tower (15L), black color, metal case
Optical	Some: DVD Burner				slim (9.0mm)			<ul> <li>(WxDxH) 5.91" X 10.65" X 14.17"; 150mm X 270.5mm X 360mm</li> <li>Approx. 15.21 lb (6.9 kg), weight may vary by configuration</li> </ul>
Onboard SATA	Three onboard SATA	6.0Gb/s		-,	()			Approx. 15.21 b (0.5 kg), weight may vary by configuration     Optional dust filter
Media reader	Optional 7-in-1 media	a reader					_	Bay 1: Slim external ODD bay
Graphics	Intel UHD Graphics 610/630 in processor, uses main memory, DirectX® 12,							Baý 2: 3.5", 1" high, internal, HDD/SSD Bay 3: 3.5", 1" high, internal, HDD/SSD (optional bay) Slot 1: half-length full-height (length < 189mm, height < 104mm), PCIe 3.0 x16 Slot 2: half-length full-height (length < 189mm, height < 104mm), PCIe 3.0 x1
	one VGA (up to 2048x1536@50Hz), two DisplayPort™ (up to 4096x2304@60Hz), supports 3 independent displays, more displays support via discrete graphics <i>Some:</i> NVIDIA Geforce <sup>®</sup> GT 730 (End Of Life), DirectX 12, 2GB, PCIe 2.0 x16,							
	35 watts, two DisplayPort (up to 3840x2160@60Hz)							Slot 3: half-length full-height (length < 189mm, height < 104mm), PCIe 3.0 x1
	Some: AMD Radeon™ 520, DirectX 12, 2GB GDDR5, PCle 3.0 x8, 30 watts,							Slot 4: no slot, only bracket for optional port extension M.2 card slots: Two (one for WLAN, one for SSD/Optane)
	two DisplayPort (up to 4096x2160@60Hz) Some: AMD Radeon RX 550X, DirectX 12, 4GB GDDR5, PCIe 3.0 x8, 50 watts,					50 watte		
	one DisplayPort (up to 3840x2160@60Hz), one HDMI (up to						Power supply	Some: 180 watts, autosensing, 85% PSU Some: 210 watts, autosensing, 85% PSU
	4096x2160@60Hz), one VGA (up to 2048x1536@85Hz) Optional DP to VGA dongle, DP to DVI-D dongle, DP to dual DP dongle (for Collage							Some: 260 watts, autosensing, 92% PSU (only available via special bid)
Monitor Cable	Optional DP to VGA (	dongle, D	P to DVI-D dong	le, DP to	dual DP dongle	(for Collage	Limited worrents?	<sup>3</sup> Some: 1-year or 3-year, depot service / service upgrades available
<u></u>	Display with intel inte	grated gr	aprics), or DP to		.4 dongle		Limited warranty	<i>Some:</i> 1-year or 3-year, limited onsite service / service upgrades available
Chipset	Intel B360 Chipset						Preload	Preloaded operating system
Front ports* (Std	2x USB 3.1 Gen2, 2x USB 3.1 Gen1, 1x USB 3.1 Type-C Gen1 (15W charging),					arging),		Some: Windows® 10 Pro 64-bit
1x microphone (3.5mm), 1x headphone / microphone combo jack (3.5mm) Front ports* (Opt.) <i>Optional:</i> 1x media reader				SINDO JACK (3.5Mr	n)		Some: Windows 10 Home 64-bit	
Rear ports* (Std	4 x USB 2.0, 1x serial (9-pin), 1x ethernet (RJ-45), 1x VGA, 2x DisplayPort,							Preloaded applications (only some listed)
	1x line-out (3.5mm)							<ul> <li>Lenovo Vantage</li> <li>Microsoft Office preloaded;</li> </ul>
Rear ports* (Opt	) Optional: 2x USB 3.1 Gen1 via PCIe x1**, 2x USB 3.1 Type-C Gen2 via PCIe x4**							<ul> <li>Incrosoft Office preloaded, purchase a product key to activate</li> </ul>
	(special bid only), 1x 2nd serial (9-pin), 4x serial (9-pin) via PCIe x1,					ndvidee		• Cyberlink PowerDVD (only for models with DVD / DVD±RW)
	1x parallel (25-pin), 2x PS/2 ports (keyboard/mouse), additional RJ-45 and video ports available on optional graphics or ethernet card * Depending on many factors, actual data transfer speed may be lower than theoretical speed							Cyberlink Power2GO (only for models with DVD±RW)
								• LinkedIn
	** Choose either 2x USE						Environment	ENERGY STAR <sup>®</sup> 6.1, EPEAT <sup>™</sup> Silver rating (North America), ErP Lot 3, TCO,
Audio support	High Definition (HD)	Audio, Re	altek ALC233VE	32 / interr	nal speaker (2 wa	att )	<u> </u>	TUV low noise verified (coming soon, on some models), RoHS-compliant
	,						Accessories	For compatible accessories, please go to http://smartfind.lenovo.com

ThinkCentre M720 Tower











